

# ANSI Size PBT Push Buttons

## Various Selections and Colors

### Standard Features

- Momentary DPDT, SPST, or SPDT contacts (Maintained switch for PBT-060B-TG)
- Stainless steel single gang plate: 4 1/2" x 2 3/4" (114x70.5mm)
- Available in LED switches & Piezo-electric switches (PBT-110-PTE, PBT-110-E)
- Optional surface mount back box provided



 <p><b>PBT-020B-2</b></p> <ul style="list-style-type: none"> <li>• Momentary SPST, 2A/48VDC</li> <li>• Flush mounted</li> </ul>	 <p><b>PBT-020B-4</b></p> <ul style="list-style-type: none"> <li>• Momentary DPDT, 5A/125VAC</li> <li>• Flush mounted</li> <li>• Cables included</li> </ul>	 <p><b>PBT-060B</b></p> <ul style="list-style-type: none"> <li>• Momentary DPDT, 5A/250VAC</li> <li>• Flush mounted</li> </ul>	 <p><b>PBT-060B-TG</b></p> <ul style="list-style-type: none"> <li>• Maintained DPDT, 5A/125VAC</li> <li>• Flush mounted</li> <li>• Cables included</li> <li>• Toggle switch</li> </ul>
 <p><b>PBT-020BJ</b></p> <ul style="list-style-type: none"> <li>• Momentary SPST, 5mA/12VDC</li> <li>• Flush mounted</li> </ul>	 <p><b>PBT-160B</b></p> <ul style="list-style-type: none"> <li>• Momentary DPDT, 5A/125VAC</li> <li>• Flush mounted</li> </ul>	 <p><b>PBT-180B</b></p> <ul style="list-style-type: none"> <li>• Momentary DPDT, 5A/125VAC</li> <li>• Flush mounted</li> <li>• Cables included</li> </ul>	 <p><b>PBT-060BL</b></p> <ul style="list-style-type: none"> <li>• Momentary DPDT, 5A/250VAC, 6A/24VDC</li> <li>• Flush mounted</li> <li>• Illuminated</li> </ul>
 <p><b>PBT-020B-LED</b></p> <ul style="list-style-type: none"> <li>• Momentary SPDT, 1 A/250VAC</li> <li>• Flush mounted</li> <li>• Bi-color LED (Green/Blue)</li> </ul>			

### Optional Back Boxes

 <p><b>SMB-050</b></p> <ul style="list-style-type: none"> <li>• Stainless steel, Silver</li> <li>• 4 9/16" x 2 3/4" x 1 3/4" (116 x 70 x 45mm)</li> </ul>	 <p><b>SMB-101</b></p> <ul style="list-style-type: none"> <li>• Plastic, Black/White</li> <li>• 4 1/12" x 2 3/4" x 1 3/16" (114 x 70 x 30mm)</li> </ul>	 <p><b>SMB-750</b></p> <ul style="list-style-type: none"> <li>• Metal, White</li> <li>• 4 1/12" x 2 3/4" x 1 1/4" (114 x 70 x 32mm)</li> </ul>
--	--	--

#### Warranty

The product is warranted against defects in material and workmanship while used in normal service for a period of 1 year from the date of sale to the original client. The GEM policy is one of continual development and improvement; therefore GEM reserves the right to change specifications without notice.

# Narrow Size PBT Push Buttons






Various Selections and Colors






## Standard Features

- Momentary DPDT, SPDT, or SPST contacts
- Stainless steel or aluminum alloy narrow stile plate: 4 1/2" x 1 11/16" (115x43mm)
- Available in LED switches (PBT-010L) & Piezo-electric switches (PBT-120-PTE, PBT-120-E)
- Optional surface mount back box provided







## Mortise Mount PBT Push Buttons

 <p><b>PBT-010</b></p> <ul style="list-style-type: none"> <li>• Momentary DPDT, 5A/250VAC, 6A/24VDC</li> <li>• Stainless steel faceplate</li> </ul>	 <p><b>PBT-010L</b></p> <ul style="list-style-type: none"> <li>• Momentary DPDT, 5A/250VAC, 6A/24VDC</li> <li>• Stainless steel faceplate</li> <li>• Illuminated</li> </ul>	 <p><b>PBT-019-2</b></p> <ul style="list-style-type: none"> <li>• Momentary SPST, 2A/48VDC</li> <li>• Stainless steel faceplate</li> </ul>	 <p><b>PBT-020-2</b></p> <ul style="list-style-type: none"> <li>• Momentary SPST, 2A/48VDC</li> <li>• Stainless steel faceplate</li> </ul>	 <p><b>PBT-020-4</b></p> <ul style="list-style-type: none"> <li>• Momentary DPDT, 5A/125 VAC</li> <li>• Stainless steel faceplate</li> <li>• Cables included</li> </ul>
--	--	---	---	--

 <p><b>PBT-020-LED</b></p> <ul style="list-style-type: none"> <li>• Momentary SPDT, 1A/250VAC</li> <li>• Stainless steel faceplate</li> <li>• Bi-color LED (Green/Blue)</li> </ul>	 <p><b>PBT-025-4</b></p> <ul style="list-style-type: none"> <li>• Momentary DPDT, 5A/125VAC</li> <li>• Aluminum alloy faceplate</li> <li>• Cables included</li> </ul>	 <p><b>PBT-025J</b></p> <ul style="list-style-type: none"> <li>• Momentary SPST, 5mA/12VDC</li> <li>• Aluminum alloy faceplate</li> </ul>	 <p><b>PBT-026-4</b></p> <ul style="list-style-type: none"> <li>• Momentary DPDT, 5A/125VAC</li> <li>• Aluminum alloy faceplate</li> <li>• Cables included</li> </ul>	 <p><b>PBT-026J</b></p> <ul style="list-style-type: none"> <li>• Momentary SPST, 5mA/12VDC</li> <li>• Aluminum alloy faceplate</li> </ul>
---	--	--	--	--

 <p><b>PBT-200-2</b></p> <ul style="list-style-type: none"> <li>• Momentary SPST, 2A/48VDC</li> <li>• Stainless steel faceplate</li> </ul>	 <p><b>PBT-200J</b></p> <ul style="list-style-type: none"> <li>• Momentary SPST, 5mA/12VDC</li> <li>• Stainless steel faceplate</li> </ul>	 <p><b>PBT-200LED</b></p> <ul style="list-style-type: none"> <li>• Momentary SPDT, 1A/250VAC</li> <li>• Stainless steel faceplate</li> <li>• Bi-color LED (Green/Blue)</li> </ul>
---	---	--

# Surface Mount PBT Push Buttons

 <p><b>PBT-100-4</b></p> <ul style="list-style-type: none"> <li>• Momentary DPDT, 5A/125VAC</li> <li>• Stainless steel faceplate &amp; back box</li> </ul>	 <p><b>PBT-160</b></p> <ul style="list-style-type: none"> <li>• Momentary DPDT, 5A/125VAC</li> <li>• Stainless steel faceplate &amp; back box</li> </ul>	 <p><b>PBT-025JS</b></p> <ul style="list-style-type: none"> <li>• Momentary SPST, 5mA/12VDC</li> <li>• Aluminum faceplate, Plastic back box</li> <li>• Available as a wireless exit device</li> </ul>	 <p><b>PBT-080</b></p> <ul style="list-style-type: none"> <li>• Momentary SPST, 2A/48VDC</li> <li>• Stainless steel faceplate &amp; back box</li> </ul>
---	---	---	--

 <p><b>PBT-030</b></p> <ul style="list-style-type: none"> <li>• Momentary SPDT, 15A/125 or 250VAC</li> <li>• Stainless steel faceplate, Plastic back box</li> </ul>	 <p><b>PBT-120-PTE</b></p> <ul style="list-style-type: none"> <li>• Piezo-electric, 2A/30VDC</li> <li>• Stainless steel faceplate, Plastic back box</li> <li>• Bi-color LED (Red/Green)</li> <li>• Time delay 1-30 seconds</li> </ul>	 <p><b>PBT-120-E</b></p> <ul style="list-style-type: none"> <li>• Piezo-electric, 2A/30VDC</li> <li>• Stainless steel faceplate, Plastic back box</li> <li>• Bi-color LED (Red/Green)</li> <li>• Time delay 1-30 seconds</li> </ul>	 <p><b>PBT-100-LED</b></p> <ul style="list-style-type: none"> <li>• Momentary SPDT, 1A/250VAC</li> <li>• Bi-color LED (Green/Blue)</li> <li>• Stainless steel faceplate &amp; back box</li> </ul>
--	--	---	--

## Optional Back Boxes

 <p><b>SMB-040</b></p> <ul style="list-style-type: none"> <li>• Plastic, Black</li> <li>• 4 9/16" x 2 3/4" x 1 3/4" (115 x 43 x 32mm)</li> </ul>
---

### Warranty

The product is warranted against defects in material and workmanship while used in normal service for a period of 1 year from the date of sale to the original client. The GEM policy is one of continual development and improvement; therefore GEM reserves the right to change specifications without notice.

# European Size PBT Push Buttons

## Various Selections and Colors

### Standard Features

- Momentary DPDT, SPDT, or SPST contacts
- Plastic (ABS) or stainless steel faceplate: 85.5 x 85.5mm
- LED switches (PBT-419DR-LED, PBT-419PTE-LED, PBT-090-LED, PBT-1150)
- Optional surface mount back box provided



### Mortise Mount PBT Push Buttons

 <p><b>PBT-210UK</b></p> <ul style="list-style-type: none"> <li>• Momentary DPDT, 5A/125 or 250VAC</li> <li>• Stainless steel faceplate</li> <li>• Cables included</li> </ul>	 <p><b>PBT-211UK</b></p> <ul style="list-style-type: none"> <li>• Momentary DPDT, 5A/125 or 250VAC</li> <li>• Stainless steel faceplate</li> <li>• Cables included</li> </ul>	 <p><b>PBT-425BS-DR</b></p> <ul style="list-style-type: none"> <li>• Momentary SPST, 5mA/12VDC</li> <li>• Stainless steel faceplate</li> </ul>	 <p><b>PBT-425BS</b></p> <ul style="list-style-type: none"> <li>• Momentary SPST, 5mA/12VDC</li> <li>• Stainless steel faceplate</li> </ul>
 <p><b>PBT-400BS</b></p> <ul style="list-style-type: none"> <li>• Momentary DPDT, 5A/125 or 250VAC</li> <li>• Stainless steel faceplate</li> </ul>	 <p><b>PBT-400BS-DR</b></p> <ul style="list-style-type: none"> <li>• Momentary DPDT, 5A/125 or 250VAC</li> <li>• Stainless steel faceplate</li> </ul>	 <p><b>PBT-400BS-P</b></p> <ul style="list-style-type: none"> <li>• Momentary DPDT, 5A/125 or 250VAC</li> <li>• Stainless steel faceplate</li> </ul>	 <p><b>PBT-419BS</b></p> <ul style="list-style-type: none"> <li>• Momentary SPST, 5mA/12VDC</li> <li>• Stainless steel faceplate</li> </ul>
 <p><b>PBT-419BS-DR</b></p> <ul style="list-style-type: none"> <li>• Momentary SPST, 5mA/12VDC</li> <li>• Stainless steel faceplate</li> </ul>	 <p><b>PBT-430BS-BL</b></p> <ul style="list-style-type: none"> <li>• Momentary DPDT, 5A/125 or 250VAC</li> <li>• Stainless steel faceplate</li> <li>• Cables included</li> </ul>	 <p><b>PBT-430BS-F</b></p> <ul style="list-style-type: none"> <li>• Momentary DPDT, 5A/125 or 250VAC</li> <li>• Stainless steel faceplate</li> </ul>	 <p><b>PBT-430BS-DR</b></p> <ul style="list-style-type: none"> <li>• Momentary DPDT, 5A/125 or 250VAC</li> <li>• Stainless steel faceplate</li> </ul>

# Mortise Mount PBT Push Buttons (Continued)



**PBT-430BS**

- Momentary DPDT, 5A/125 or 250VAC
- Stainless steel faceplate



**PBT-8585BS-1**

- Momentary SPST, 5mA/12VDC
- Stainless steel faceplate



**PBT-8585BS-2**

- Momentary SPST, 5mA/12VDC
- Stainless steel faceplate



**PBT-450BS**

- Momentary DPDT, 5A/125VAC
- Stainless steel faceplate



**PBT-451BS**

- Momentary DPDT, 5A/125VAC
- Stainless steel faceplate



**PBT-452BS**

- Momentary DPDT, 5A/125VAC
- Stainless steel faceplate



**PBT-453BS**

- Momentary DPDT, 5A/125VAC
- Stainless steel faceplate



**PBT-454BS**

- Momentary DPDT, 5A/125VAC
- Stainless steel faceplate



**PBT-455BS**

- Momentary DPDT, 5A/125VAC
- Stainless steel faceplate



**PBT-860BS-B**

- Momentary DPDT, 5A/125VAC
- Stainless steel faceplate



**PBT-861BS-B**

- Momentary DPDT, 5A/125VAC
- Stainless steel faceplate



**PBT-863BS-B**

- Momentary DPDT, 5A/125VAC
- Stainless steel faceplate



**PBT-864BS-B**

- Momentary DPDT, 5A/125VAC
- Stainless steel faceplate



**PBT-860BS-G**

- Momentary DPDT, 5A/125VAC
- Stainless steel faceplate



**PBT-861BS-G**

- Momentary DPDT, 5A/125VAC
- Stainless steel faceplate



**PBT-863BS-G**

- Momentary DPDT, 5A/125VAC
- Stainless steel faceplate



## Mortise Mount PBT Push Buttons (Continued)



**PBT-864BS-G**

- Momentary DPDT, 5A/125VAC
- Stainless steel faceplate



**PBT-860BS-R**

- Momentary DPDT, 5A/125VAC
- Stainless steel faceplate



**PBT-861BS-R**

- Momentary DPDT, 5A/125VAC
- Stainless steel faceplate



**PBT-863BS-R**

- Momentary DPDT, 5A/125VAC
- Stainless steel faceplate



**PBT-864BS-R**

- Momentary DPDT, 5A/125VAC
- Stainless steel faceplate



**PBT-419DR-LED**

- Momentary SPDT  
1A/250VAC
- Stainless steel faceplate
- Bi-color LED (Green/Blue)



**PBT-419PTE-LED**

- Momentary SPDT  
1A/250VAC
- Stainless steel faceplate
- Bi-color LED (Green/Blue)

## Optional Back Boxes



**SMB-86ALU-03**

- Aluminum, Silver
- 4 9/16" x 2 3/4" x 1 3/4"  
(85.5 x 85.5 x 38mm)




**PBS-86G**

- Plastic, Green
- 4 1/12" x 2 3/4" x 1 3/16"  
(90 x 90 x 50mm)

# Surface Mount PBT Push Buttons

 <p><b>PBT-090-LED</b></p> <ul style="list-style-type: none"> <li>• Momentary SPDT, 1A/250VAC</li> <li>• Stainless steel cover</li> <li>• Bi-color LED (Green /Blue)</li> </ul>	 <p><b>PBT-090-4</b></p> <ul style="list-style-type: none"> <li>• Momentary DPDT, 5A/125VAC</li> <li>• Stainless steel cover</li> </ul>	 <p><b>PBT-170</b></p> <ul style="list-style-type: none"> <li>• Momentary DPDT, 5A/125VAC</li> <li>• Stainless steel cover</li> </ul>	 <p><b>PBT-090-2</b></p> <ul style="list-style-type: none"> <li>• Momentary SPST, 2A/48VDC</li> <li>• Stainless steel cover</li> </ul>
--	--	---	---

 <p><b>PBT-1000</b></p> <ul style="list-style-type: none"> <li>• Momentary SPDT, 3A/120VAC or 24 VDC</li> <li>• Bi-color LED (Green/Red)</li> <li>• Glossy white plastic cover</li> <li>• Light color switch function</li> </ul>	 <p><b>PBT-1100</b></p> <ul style="list-style-type: none"> <li>• Momentary SPDT, 3A/120VAC or 12 VDC</li> <li>• No LED</li> <li>• White plastic cover</li> </ul>	 <p><b>PBT-1150</b></p> <ul style="list-style-type: none"> <li>• Momentary SPDT, 3A/120VAC or 12 VDC</li> <li>• Bi-color LED (Green/Red)</li> <li>• White plastic cover</li> <li>• Light color switch function</li> </ul>
---	---	---

## Warranty

The product is warranted against defects in material and workmanship while used in normal service for a period of 1 year from the date of sale to the original client. The GEM policy is one of continual development and improvement; therefore GEM reserves the right to change specifications without notice.